

Content available at: <https://www.ipinnovative.com/open-access-journals>

Indian Journal of Clinical and Experimental Ophthalmology

Journal homepage: [www.ijceo.org](http://www.ijceo.org)

## Original Research Article

# Assessment of demographic pattern and causative factors in visually disabled persons residing in Gadag district, Karnataka

S R Lavanya<sup>1,\*</sup>, Radhika Bellary<sup>1</sup><sup>1</sup>Dept. of Ophthalmology, Gadag Institute of Medical Sciences, Gadag, Karnataka, India

## ARTICLE INFO

## Article history:

Received 23-12-2021

Accepted 22-01-2022

Available online 29-06-2022

## Keywords:

Low vision

Visual disability

## ABSTRACT

**Aim:** The study was done to know demographic patterns, causative factors in visually disabled persons residing in Gadag, Karnataka.

**Materials and Methods:** It is a retrospective study. Both male and female visually disabled people who attended low vision clinic for disability certificate were included even if they had multiple disability. Visual disability < 30% and age < 5 years were excluded. Their demographic data and clinical data is collected and analysed.

**Results:** Total 323 persons were included. 214 (66%) were male, 109(34%) were female persons. Mean age was 37.52 years. Age < 15 years were 38(12%), 15-45 years were 184 (57%) and > 45 years were 101 (31%). 77(24%) belong to the general category, 198(61%) belong to other backward castes, and 48 (15%) belong to sc/st. Among the persons > 15 years, 43 (15%) graduated and 65(23%) were illiterates. Majority (45%) are unemployed. Among the ones who are employed mainly work as music teachers and agricultural coolies. 258 (80%) belong to BPL. 255(79%) did not have any comorbidities. 157(49%) had complete blindness. 52% were blind and 48% were belong to low vision category. Refractive errors and retinal pathology were together constituting 54% of the cases. Congenital and hereditary cases constituted 75% of the cases. Visual acuity was alone affected in 36(11%) cases visual fields alone in 15(5%) cases, and both were affected in 271(84%) cases.

**Conclusion:** Visually disabled persons in our study showed male preponderance. Few were employed as music artists and teachers and majority were illiterates. refractive errors and retinal pathology were major reasons.

This is an Open Access (OA) journal, and articles are distributed under the terms of the [Creative Commons Attribution-NonCommercial-ShareAlike 4.0 License](https://creativecommons.org/licenses/by-nc-sa/4.0/), which allows others to remix, tweak, and build upon the work non-commercially, as long as appropriate credit is given and the new creations are licensed under the identical terms.

For reprints contact: [reprint@ipinnovative.com](mailto:reprint@ipinnovative.com)

## 1. Introduction

A disability is any continuing condition that restricts everyday activities. The Disability Services Act (1993) defines 'disability' as meaning a disability.<sup>1</sup>

1. Which is attributable to an intellectual, psychiatric, cognitive, neurological, sensory or physical impairment or a combination of those impairments
2. Which is permanent or likely to be permanent.

3. Which may or may not be of a chronic or episodic nature.
4. Which results in substantially reduced capacity of the person for communication, social interaction, learning or mobility and a need for continuing support services.

With the assistance of appropriate aids and services, the restrictions experienced by many people with a disability could be managed.

\* Corresponding author.

E-mail address: [lavanya222312@gmail.com](mailto:lavanya222312@gmail.com) (S. R. Lavanya).

1.1. Types of disability<sup>1</sup>

The main categories of disability are physical, sensory, psychiatric, neurological, cognitive and intellectual. Many people with disabilities have multiple disabilities.

A physical disability is the most common type of disability, followed by intellectual and sensory disability. [Physical disability generally relates to disorders of the musculoskeletal, circulatory, respiratory and nervous systems.

Sensory disability involves impairments in hearing and vision.

1.2. Visual impairment definition<sup>2</sup>

1. "Blindness" means a condition where a person has any of the following conditions, after best correction—
  - (a) Total absence of sight; or
  - (b) Visual acuity less than 3/60 or less than 10/200 (Snellen) in the better eye with best possible correction; or
  - (c) Limitation of the field of vision subtending an angle of less than 10 degree
  
2. "Low-vision" means a condition where a person has any of the following conditions, namely:—r
  - (a) Visual acuity not exceeding 6/18 or less than 20/60 upto 3/60 or upto 10/200 (Snellen) in the better eye with best possible corrections; or
  - (b) Limitation of the field of vision subtending an angle of less than 40 degree up to 10 degree.

The most common causes of visual impairment globally are uncorrected refractive errors (43%), cataracts (33%), and glaucoma (2%).<sup>2</sup> Cataracts are the most common cause of blindness. Other disorders that may cause visual problems include age related macular degeneration, diabetic retinopathy, corneal clouding, childhood blindness, and a number of infections. Visual impairment can also be caused by problems in the brain due to stroke, premature birth, or trauma among others. These cases are known as cortical visual impairment.

The World Health Organization (WHO) estimates that 80% of visual impairment is either preventable or curable with treatment. This includes cataracts, the infections like river blindness and trachoma, glaucoma, diabetic retinopathy, uncorrected refractive errors, and some cases of childhood blindness. Many people with significant visual impairment benefit from vision rehabilitation, changes in their environment, and assistive devices. As of 2015 there were 940 million people with some degree of vision loss.246 million had low vision and 39 million were blind. The majority of people with poor vision are in the developing world and are over the age of 50 years. Rates of visual impairment have decreased since the 1990s. Visual

impairments have considerable economic costs both directly due to the cost of treatment and indirectly due to decreased ability to work.

In India, under RPWD Act 2016, low vision is considered to be a disability. A person having benchmark disability, can avail disability benefits from the government.

2. Assessment of Low Vision

Low vision is assessed only after taking all the possible measures to correct the vision as much as possible. These measures include medical and surgical interventions and/or use of spectacles/lenses.

As explained in the table below, when one eye has BCVA better than 6/18, then upto disability category 2 applied.

Category 3 is considered as low vision if visual impairment is 40% it is category 3a. If visual impairment is 50% it is category 3b. If visual impairment is 60% it is category 3c. If visual impairment is 70% it is category 3d. If visual impairment is 80% it is category 3e.

Category 4 is considered as blindness if visual impairment is 90% it is category 4a.

If visual impairment is 100% it is category 4b.

Better eye Best Corrected	Worse eye Best Corrected	Per cent Impairment	Disability category
6/6 to 6/18	6/6 to 6/18	0%	0
	6/24 to 6/60	10%	0
	Less than 6/60 to 3/60	20%	I
	Less than 3/60 No Light Perception	30%	II (One eyed person)
6/24 to 6/60	6/24 to 6/60	40%	III a (low vision)
	Or Visual field less than 40 up to 20 degree around centre of fixation or heminaopia involving macula	50%	III b (low vision)
	Less than 3/60 to No Light Perception	60%	III c (low vision)
	Less than 6/60 to 3/60	Less than 6/60 to 3/60	70%
Or Visual field less than 20 up to 10 degree around centre of fixation		80%	III e (low vision)
Less than 3/60 to 1/60	Less than 3/60 to No Light Perception	90%	IV a (Blindness)
	Or Visual field less than 10 degree around centre of fixation		
Only HMCF Only Light Perception, No Light Perception	Only HMCF Only Light Perception, No Light Perception	100%	IV b (Blindness)

Fig. 1: Low vision is assessed in terms of Best Corrected Visual Acuity (BCVA).<sup>3</sup>

Study was done to know the demographic pattern and causative analysis in Gadag district of Karnataka. However, there are no much studies in India to compare these reports in our population. Hence, a retrospective study was conducted to study these details.

3. Materials and Methods

A cross-sectional study was conducted in the low vision clinic of ophthalmology department of Gadag institute of medical sciences, Gadag from 1st January 2019 TO 31st

Matrix Table

Left Eye Vision [Best Corrected Visual Acuity (BCVA)]

		6/6 to 6/18	6/24	6/36	6/60	3/60	2/60	1/60	HMCF to PL-
Right Eye Vision [Best Corrected Visual Acuity (BCVA)]	6/6 to 6/18	0%	10%	10%	10%	20%	30%	30%	30%
	6/24	10%	40%	40%	40%	50%	60%	60%	60%
	6/36	10%	40%	40%	40%	50%	60%	60%	60%
	6/60	10%	40%	40%	40%	50%	60%	60%	60%
	3/60	20%	50%	50%	50%	70%	80%	80%	80%
	2/60	30%	60%	60%	60%	80%	90%	90%	90%
	1/60	30%	60%	60%	60%	80%	90%	90%	90%
	HMCF to PL-	30%	60%	60%	60%	80%	90%	90%	100%

- Yellow- Right eye is Better eye Brown- Left eye is better eye
- Percent disability is marked inside the box corresponding to the visual acuity for both eyes

Fig. 2:

Field of Vision around centre of fixation

Left Eye

		<40° to 20°	<20° to 10°	<10°
Right Eye	<40° to 20°	40%	50%	60%
	<20° to 10°	50%	70%	80%
	<10°	60%	80%	100%

- Yellow- Right eye is Better eye Brown- Left eye is better eye (only better eye Fields to be taken in to account for determining the %)

Fig. 3:

December 2019.

All the visually disabled persons of all genders were included in the study consent was taken from all the study participants. Persons with multiple disability also included if they have associated visual disability. Persons whose results may be biased are excluded viz; those less than 5 years of age, persons with disability less than 30%.

Demographic features like Age /sex, District, Taluk, Rural /urban, caste/category, education, employment, profession, marital status, family members affected, consanguinity of parents, reason for receiving certificate.

Financial status is collected.

Clinical features like Eye affected [R<=>=L], Category of visual impairment.

Percentage of blindness, other disability, diagnosis –RE, diagnosis- LE, Organelle (part of the eye) involved, cause/trauma, treatment taken, whether visual acuity/visual field / both affected.

#### 4. Results and Observation

In total, 323 persons were included. Persons were distributed in all age groups. There were 214/323males (66.3%) & 109/323 females (33.7%), showing male preponderance. Male to female ratio was found to be 1.96:1.

Mean age was 37.52 years.38(11.76%) persons were under the age of 15 years. 184(56.97%) persons belonged to the productive age group of 16-45 years. 101(31.27%) persons were more than the age of 45 years.

77(24%) persons belong to the general category, 198(61%) belong to other backward castes, and 48 (15%) belong to sc/st. Among the persons > 15 years, 43 (15%) graduated and 65(23%) were illiterates.

Students were 38(12%) in number and the remaining 139(43%) were employed in various ways. 146(45%) were unemployed. Among the ones who are employed mainly work as music teachers-31(9%) and agricultural coolies-35 (11%). 258(80%) belong to BPL, 29(9%) AAY and 36(11%) APL.

Among the people less than 30 years, 148(46%) were married. And 96 (30%) persons were born to consanguineous marriage. 58(18%) had family members with disabilities. 255(79%) did not have any morbidities. 23(7%), 20(6%) and 25(8%) persons had associated otolarygological, psychiatry related and orthopedic disabilities respectively.

Reason for certification was monetary benefit in 210(65%) persons, job purpose in 14 (4%) persons and to get rehabilitative appliances in 99 (31%) persons. 263(81.4%) persons were ready for rehabilitative measures.

168(52%) were blind and 155(48%) belonged to the low vision category. 25 (8%) persons, 20 (6%) persons, 20 (6%) persons, 52(16%) persons, 38(12%) persons, 11(3%) persons and 157(49%) persons were seen in the category of 3a,3b,3c,3d,3e,4a and 4b respectively.

Causes for visual disability were found to be refractive errors with amblyopia, glaucoma, uveitis, cataract, anterior segment dysgenesis and retinal pathology in 92 (28%), 21(7%), 13(4%), 32(10%) 81(25%) and 84(26%) respectively.

Etiology was found to be trauma, congenital, infection, hereditary, other diseases in 36(11%), 92(29%), 36(11%), 149(46%), 10(3%) persons respectively.


Treatment was inadequate in 40% of the cases. Visual acuity was alone affected in 36(11%) cases visual fields alone in 15(5%) cases both were affected in 271(84%) cases.

#### 5. Discussion

There have been many studies regarding the prevalence of visual disability in different parts of India. Causes of visual impairment differ in different parts of the world depending upon the prevalence of ocular diseases in that area.<sup>4-6</sup>

**Table 1:** Demographic distribution

<b>A: Age and sex wise distribution</b>			
Age (years)	Male	Female	Total
5-15	26	12	38 (12%)
16-45	112	72	184(57%)
>45	76	25	101(31%)
Total	214 (66%)	109(34%)	323 (100%)
<b>B. Taluk wise distribution</b>			
Taluk	Urban	Rural	Total
Gadag	2	83	85(26%)
Mundargi	3	55	58(18%)
Ron	11	55	66(21%)
Nargund	1	42	43(13%)
Shiratti	6	65	71(22%)
Total	23(7.12%)	300(92.88%)	323(100%)
<b>C. Caste category wise distribution</b>			
Caste	Number	Percentage	
General	77	24	
Obc	198	61	
sc/st	48	15	
Total	323	100	




**Fig. 4:** Age-sex distribution

**Table 2:** Social life education / employment / financial status

<b>A. Education among the persons above the age 15years</b>		
Education	Number	Percentage
Illiterate	65	23
Primary	79	28
Middle	43	15
Higher secondary	55	19
Graduate	33	12
Post graduate	10	3
Total	285	100
<b>B. Employment</b>		
Employment	Number	Percentage
Students	38	12
Agriculturist	35	11
artist	19	6
Govt job	10	3
Coolie	25	8
Teacher	31	9
Shop keeper and dhobi	6	2
unemployed	146	45
House wife	13	4
Total	323	100
<b>C. Financial status</b>		
Financial status	Number	Percentage
AAV	29	9
BPL	258	80
APL	36	11
Total	323	100

**VISUAL DISABILITY CATEGORY WISE**



**Fig. 5:** Visual disability category wise

These studies help in framing strategies to control and thus decrease the prevalence of blindness. By obtaining a visual handicap certificate the person can get access to various benefits provided by the Government like preferences in jobs and education, concession in travelling charges, income tax benefits.<sup>7,8</sup>

38 (11.76%) people were under the age of 15 years which corresponds to the people seeking benefits in education. 184(56.97%) people belonged to the 16-45 yrs age group which corresponds to people utilising the benefits in seeking jobs. In our study, 214 patients (66.3%) were males and 109 patients (33.7%) were females. This indicates the number of males visiting the hospital to obtain the disability certificate was significantly higher than that of the females.

Among persons > 15 years of age, 43 (15%) graduated and 65(23%) were illiterates. 146(45%) were unemployed, which indicates their need for a disability certificate to

**Table 3:** Personal life

<b>A. Marital status</b>		
Marital status	Number	Percentage
Married	148	46
Unmarried	60	18
Not applicable (less than 30 years)	115	36
Total	323	100
<b>B. Consanguinity of parents</b>		
	Number	Percentage
Consanguinity	96	30
No consanguinity	227	70
Total	323	100
<b>C. Family members with disability</b>		
Families With Disabilities	Number	Percentage
Yes	58	18
No	265	82
Total	323	100
<b>D. Co-disabilities</b>		
Co-Disabilities	Number	Percentage
ENT	23	7
Psychiatry	20	6
Ortho	25	8
No	255	79
Total	323	100

**Table 4:** Reason for certification

Reason for certification	Number	Percentage
Monetary Benefit	210	65
Job Purpose	14	4
Rehabilitation Appliances (Walking stick / watch / computers)	99	31
Total	323	100

**Table 5:** Willingness for rehabilitation

Willingness for rehabilitation	Number	Percentage
Yes	263	81.4%
No	60	18.6%
Total	323	100

earn their bread. Among the ones who were employed, 9% were music teachers and 11% were agricultural coolies, while 38 (12%) people belonged to the student category. Unemployment in our study was in concordance with the findings of NSSO survey.<sup>9</sup>

168(52%) patients belonged to blindness category and 155(48%) belonged to Low vision category. Similar finding was noted in a study conducted at Central Rajasthan, India.<sup>10</sup>

Reason for certification was monetary benefits in 210 (65%) persons, job purpose in 14(4%) persons and to get rehabilitative appliances in 99 (31%) persons.

**Table 6:**

<b>A. Percentage of disability</b>				
Disability /VI	Category	Percentage of disability	Number	Percentage
Low vision	3a	40	25	8
	3b	50	20	6
	3c	60	20	6
	3d	70	52	16
	3e	80	38	12
Blindness	4a	90	11	3
	4b	100	157	49
Total			323	100
<b>B. Disability type</b>				
	Number	Percentage		
Visual acuity	36	11		
Visual fields	15	5		
Both	271	84		
Total	323	100		

**Table 7:** Etiology

Etiology	Number	Percentage
Trauma	36	11
Congenital	92	29
Infection	36	11
Hereditary	149	46
Disease /pathology	10	3
Total	323	100

**Table 8:** Treatment adequacy

Treatment	Number	Percentage
Adequate	51	16
inadequate	128	40
Not possible	144	44
Total	323	100

Refractive errors with amblyopia (28%) followed by blindness due to retinal pathology (26%) and anterior segment dysgenesis (25%) were found to be the main causes for visual disability followed by other causes like glaucoma, uveitis, cataract. Regular school eye health screening camps are being conducted and free spectacles are being distributed to the needy by the Government. In spite of this, rise in preventable cause of blindness can be attributed to the poor compliance by the needy.

Hereditary (46%) and congenial (29%) ranked higher amongst the etiologies for the visual disability. Poor adherence to treatment resulting in decreased vision was seen in 40% of cases.

All the above data gives discernment into the relative burden of different eye diseases. We get an overall picture of avoidable as well as unavoidable causes of blindness. We

need to improve the strategies to overcome the preventable causes of blindness by increasing awareness amongst the people and emphasize the need to strictly adhere to the entire process of treatment. Studies like these help to plan, implement and monitor the eye care services.

## 6. Conclusion

Visually disabled persons in our study showed male preponderance. Few were employed as music artists and teachers. Majority were illiterates. Refractive errors and retinal pathology were major reasons. Early identification of the disease, proper treatment and counselling is needed to avoid visual disability.

## 7. Limitations of the Study

Our study is not a community based study people with disability who are not willing for certification might be missed.

## 8. Source of Funding

None.

## 9. Conflict of Interest

The authors declare no conflict of interest.

## References

1. Government of western Australia, department of communities, disability services. What is disability. Available from: <<http://www.disability.wa.gov.au/understanding-disability/understanding-disability/what-is-disability/>>.
2. Wikipedia the free encyclopedia. visual impairment; 2021. Available from: <[https://en.wikipedia.org/wiki/Visual\\_impairment](https://en.wikipedia.org/wiki/Visual_impairment)>.

3. Ministry of Social Justice and Empowerment. Gazette id 181788. Category extra ordinary; 2018.
4. Al-Yousuf N, Alaali H, Alsetri HM, Alaali H, Alsetri H, Yusuf HE, et al. Causes of Visual Impairment Among the Registered Visually Disabled: A Retrospective Study. *Cureus*. 2021;13(9):e17988.
5. Congdon N, O'Colmain B, Klaver CC, Klein R, Muñoz B, Friedman DS, et al. Eye Diseases Prevalence Research Group. Causes and prevalence of visual impairment among adults in the United States. *Arch Ophthalmol*. 2004;122(4):477–85.
6. Katibeh M, Pakravan M, Yaseri M, Pakbin M, Soleimanizad R. Prevalence and Causes of Visual Impairment and Blindness in Central Iran; The Yazd Eye Study. *J Ophthalmic Vis Res*. 2015;10(3):279–85.
7. Kumar R. Disability Assessment and Certification Guidelines and Explanations, based on Gazette Notification (Committee under chairmanship of DGHS, GOI) issued by Ministry of Social Justice and Empowerment, GOI, Regd No. DL33004/99 (Extraordinary) Part II, Sec. 2001 Jun; 1.
8. Ministry of Social Justice and Empowerment. Guidelines for evaluation of various disabilities and procedure for certification. Notification dated. The Gazette of India extraordinary. Part 1. Section 1. No 154; 2001.
9. National Sample Survey Organization, Ministry of Statistics and Programme Implementation, Government of India. Round Number 37th in 1981, 47th in 1991 and 58th in 2002.
10. Nainiwal SK, Dandaliya I, Jain P, Singh B, Mittal P, Kumar M. Prevalence and Causes of Visual Impairment and Blindness in Central Iran; The Yazd Eye Study. *J Dent Med Sci*. 2016;15(5):36–9.

## Author biography

**S R Lavanya**, Assistant Professor  <https://orcid.org/0000-0001-5914-1658>

**Radhika Bellary**, Assistant Professor

**Cite this article:** Lavanya SR, Bellary R. Assessment of demographic pattern and causative factors in visually disabled persons residing in Gadag district, Karnataka. *Indian J Clin Exp Ophthalmol* 2022;8(2):204-209.